

## LINE BISECTORS AND ANGLE BISECTORS

### Right Bisector of a Line Segment:

A line  $\ell$  is called a right bisector of a line segment if  $\ell$  is perpendicular to the line segment and passes through its mid-point.

### Bisector of an Angle:

A ray  $BP$  is called the bisector of  $\angle ABC$  if  $P$  is a point in the interior of the angle and  $\angle ABP = \angle PBC$ .

### Theorem:

Any point on the right bisector of a line segment is equidistant from its end points.

### Given:

A line  $LM$  intersects the line segment  $AB$  at the point  $C$  such that  $\overline{LM} \perp \overline{AB}$  and  $\overline{AC} \cong \overline{BC}$ .  $P$  is a point on  $\overline{LM}$ .

To Prove:  $\overline{PA} \cong \overline{PB}$

### Construction:

Join  $P$  to the points  $A$  and  $B$ .

### Proof

Statements	Reasons
In $\triangle ACP \leftrightarrow \triangle BCP$	
$\overline{AC} \cong \overline{BC}$	Given
$\angle ACP \cong \angle BCP$	given $\overline{PC} \perp \overline{AB}$ , so that each $\angle$ at $C = 90^\circ$ .
$\overline{PC} \cong \overline{PC}$	common
$\therefore \triangle ACP \cong \triangle BCP$	S.A.S. postulate
Hence $\overline{PA} \cong \overline{PB}$	(corresponding sides of congruent triangles)

### Theorem



Any point equidistant from the end points of a line segment is on the right bisector of it.

### Given

$\overline{AB}$  is a line segment. Point  $P$  is such that  $\overline{PA} \cong \overline{PB}$ .

### To Prove

The Point  $P$  is on the right bisector of  $\overline{AB}$ .




**Construction:**Joint P to C, the midpoint of  $\overline{AB}$ .**Proof:**

	Statements	Reasons
In	$\triangle ACP \leftrightarrow \triangle BCP$	
	$\overline{PA} \cong \overline{PB}$	Given
	$\overline{PC} \cong \overline{PC}$	Common
	$\overline{AC} \cong \overline{BC}$	Construction
	$\triangle ACP \cong \triangle BCP$	S.S.S $\cong$ S.S.S (corresponding angles of congruent triangles)
	$\angle ACP \cong \angle BCP$ .....(i)	
But	$m\angle ACP + m\angle BCP = 180^\circ$ .....(ii)	Supplementary angles
$\therefore$	$m\angle ACP = m\angle BCP = 90^\circ$	From (i) and (ii)
i.e.,	$\overline{PC} \perp \overline{AB}$ .....(iii)	$m\angle ACP = 90^\circ$ (proved)
Also	$\overline{CA} \cong \overline{CB}$ .....(iv)	construction
$\therefore$	$\overline{PC}$ is a right bisector of $\overline{AB}$ .	from (iii) and (iv)
i.e.,	the point P is on the right bisector of $\overline{AB}$ .	


**Exercise 12.1**

1. Prove that the centre of a circle is on the right bisectors of each of its chords.

**Given** Circle with centre O**To Prove** Centre of the circle is on right bisectors of each of its chords**Construction**Draw any chord  $\overline{AB}$ . Draw  $\overline{OC} \perp \overline{AB}$  join O with A and B.**Proof:**

Statements	Reasons
In $\triangle OAC \leftrightarrow \triangle OBC$	
$\overline{OA} \cong \overline{OB}$	Radii of same circle
$\overline{OC} \cong \overline{OC}$	Common
$\angle ACO \cong \angle BCO$	Each of $90^\circ$
$\therefore \triangle ACO \cong \triangle BCO$	H.S $\cong$ H.S
$\therefore \overline{AC} \cong \overline{BC}$	Corresponding sides of the congruent triangles.
$\therefore \overline{OC}$ is the right bisector of $\overline{AB}$	

2. Where will be the centre of a circle passing through three non-collinear points and why?




Circle is the locus of a point which moves so that its distance from a fixed point O remains same. Otherwise no circle will be formed.

3. Three villages P, Q and R are not on the same line. The people of these villages want to make a Children Park at such a place which is equidistant from these three villages. After fixing the place, of Children park, prove that the Park is equidistant from the three villages.

**Proof:**

Statements	Reasons
In $\triangle OPC \leftrightarrow \triangle OQC$	Construction
$\overline{CP} \cong \overline{CQ}$	Common
$\overline{OC} \cong \overline{OC}$	Each of $90^\circ$
$\angle 1 \cong \angle 2$	S.A.S $\cong$ S.A.S
$\therefore \triangle OPC \cong \triangle OQC$	Corresponding sides of congruent triangles
$\therefore \overline{OP} \cong \overline{OQ} \dots (i)$	
Similarly	
$\overline{OQ} \cong \overline{OR} \dots (ii)$	
$\therefore \overline{OP} \cong \overline{OQ} \cong \overline{OR}$	



**Given**

Three villages P, Q, R not on the same line.

**To Prove**

Park is equidistant from P, Q and R.

**Construction**

Complete the triangle PQR, draw the right bisectors of the sides  $\overline{PQ}$  and  $\overline{QR}$  cutting each other at O. Join O with P, Q and R. let O be the park.

**Theorem.**

The right bisectors of the sides of a triangle are concurrent.


**Given**

$\triangle ABC$

**To Prove**

The right bisectors of  $\overline{AB}$ ,  $\overline{BC}$  and  $\overline{CA}$  are concurrent.

**Construction** Draw the right bisectors of  $\overline{AB}$  and  $\overline{BC}$  which meet each other at the point O. Join O to A, B and C.

**Proof:**

Statements	Reasons
$\overline{OA} \cong \overline{OB}$ .....(i)	(Each point on right bisector of a segment is equidistant from its end points)
$\overline{OB} \cong \overline{OC}$ .....(ii)	as in (i)
$\overline{OA} \cong \overline{OC}$ .....(iii)	From (i) and (ii)
$\therefore$ Point O is on the right bisector of $\overline{CA}$ . .....(iv)	(O is equidistant from A and C) construction
But point O is on the right bisector of $\overline{AB}$ and of $\overline{BC}$ . .....(v)	{from (iv) and (v)}
Hence the right bisectors of the three sides of a triangle are concurrent at O.	

**Note:**

- (a) The right bisectors of the sides of an acute triangle intersect each other inside the triangle.
- (b) The right bisectors of the sides of a right triangle intersect each other on the hypotenuse.
- (c) The right bisectors of the sides of an obtuse triangle intersect each other outside the triangle.

**Theorem**

Any point on the bisector of an angle is equidistant from its arms.

**Given**

A point P is on  $\overline{OM}$ , the bisectors of  $\angle AOB$ .

**To Prove**

$\overline{PQ} \cong \overline{PR}$  i.e., P is equidistant from  $\overline{OA}$  and  $\overline{OB}$ .

**Construction**

Draw  $\overline{PR} \perp \overline{OA}$  and  $\overline{PQ} \perp \overline{OB}$ .

**Proof:**

Statements	Reasons
In $\triangle POQ \leftrightarrow \triangle POR$	Common Construction Given S.A.A. $\cong$ S.A.A. (corresponding sides of congruent triangles)
$\overline{OP} \cong \overline{OP}$	
$\angle PQO \cong \angle PRO$	
$\angle POQ \cong \angle POR$	
$\therefore \triangle POQ \cong \triangle POR$	
Hence $\overline{PQ} \cong \overline{PR}$	

**Theorem** Any point inside an angle, equidistant from its arms, is on the bisector of it.

**Given**



Any point P lies inside  $\angle AOB$  such that  $\overline{PQ} \cong \overline{PR}$ , where  $\overline{PQ} \perp \overline{OB}$  and  $\overline{PR} \perp \overline{OA}$ .

**To Prove** Point P is on the bisector of  $\angle AOB$ .

**Construction** Join P to O.

**Proof:**

Statements	Reasons
In $\triangle POQ \leftrightarrow \triangle POR$	Given (right angles) Common Given H.S. $\cong$ H.S. (corresponding angles of congruent triangles)
$\angle PQO \cong \angle PRO$	
$\overline{PO} \cong \overline{PO}$	
$\overline{PQ} \cong \overline{PR}$	
$\therefore \triangle POQ \cong \triangle POR$	
Hence $\angle POQ \cong \angle POR$	
i.e., P is on the bisector of $\angle AOB$ .	




## Exercise 12.2

1. In a quadrilateral  $ABCD$ ,  $\overline{AB} \cong \overline{BC}$  and the right bisectors of  $\overline{AD}$ ,  $\overline{CD}$  meet each other at point  $N$ . prove that  $\overline{BN}$  is a bisector of  $\angle ABC$ .

**Given** Quadrilateral  $ABCD$  in which  $\overline{AB} \cong \overline{BC}$ . Right bisectors of  $\overline{AD}$  and  $\overline{CD}$  meet each other at point  $N$ .

**To prove**  $\overline{BN}$  is a bisector of  $\angle ABC$

**Construction** Join  $N$  with  $A, B, C, D$



**Proof:**

Statements	Reasons
$\overline{NC} \cong \overline{ND}$ .... (i)	$N$ is on the right bisector of $\overline{CD}$
$\overline{NA} \cong \overline{ND}$ .... (ii)	$N$ is on the right bisector of $\overline{AD}$
$\overline{NA} \cong \overline{NC}$ .... (iii)	By (i) and (ii)
In $\triangle ABN \leftrightarrow \triangle CBN$	
$\overline{AB} \cong \overline{BC}$	Given
$\overline{BN} \cong \overline{BN}$	Common
$\overline{NA} \cong \overline{NC}$	Proved
$\therefore \triangle ABN \cong \triangle CBN$	S.S.S $\cong$ S.S.S
$\angle ABN \cong \angle CBN$	Corresponding angles of congruent
$\therefore \overline{BN}$ is a bisector of $\angle ABC$ .	triangles.

2. The bisectors of  $\angle A$ ,  $\angle B$  and  $\angle C$  of a quadrilateral  $ABCP$  meet each other at point  $O$ . Prove that the bisectors of  $\angle P$  will also pass through the point  $O$ .


**Given** Bisector of the angles  $A, B, C$  meet at  $O$ .

**To Prove**

Bisector of  $\angle P$  will also pass through  $O$ .

**Construction**

From  $O$  draw  $\perp$  on the sides of quadrilateral  $BCP$ .




**Proof:**

Statements	Reasons
$\overline{OE} \cong \overline{OL}$ .... (i)	O is on the bisector of $\angle A$
$\overline{OL} \cong \overline{OM}$ .... (ii)	O is on the bisector of $\angle B$
$\overline{OM} \cong \overline{ON}$ .... (iii)	O is on the bisector of $\angle C$
$\therefore \overline{OE} \cong \overline{ON}$	By (i) and (ii), (iii)
$\therefore$ O is on the bisector of $\angle P$ .	$\overline{OE} \cong \overline{ON}$

**Theorem**

The bisectors of the angles of a triangle are concurrent.

**Given**

$\triangle ABC$

**To Prove**

The bisectors of  $\angle A$ ,  $\angle B$  and  $\angle C$  are concurrent.

**Construction**

Draw the bisectors of  $\angle B$  and  $\angle C$  which intersect at point I. From I, draw  $\overline{IF} \perp \overline{AB}$ ,  $\overline{ID} \perp \overline{BC}$  and  $\overline{IE} \perp \overline{CA}$ .

**Proof:**

Statements	Reasons
$\overline{ID} \cong \overline{IF}$	(Any point on bisector of an angle is equidistant from its arms)
Similarly,	
$\overline{ID} \cong \overline{IE}$	
$\therefore \overline{IE} \cong \overline{IF}$	
So, the point I is on the bisector of $\angle A$	Each $\cong$ ID, proved.
.....(i)	
Also the point I is on the bisectors of $\angle ABC$ and $\angle BCA$ .	
.....(ii)	
Thus the bisectors of $\angle A$ , $\angle B$ and $\angle C$ are concurrent at I.	Construction {from (i) and (ii)}

## Exercise

1. Which of the following are true and which are false?

(i) Bisection means to divide into two equal parts. **(True)**

(ii) Right bisection of line segment means to draw perpendicular which passes through the mid-point. **(True)**

(iii) Any point on the right bisector of a line segment is not equidistant from its end points. **(False)**

(iv) Any point equidistant from the end points of a line segment is on the right bisector of it. **(True)**

(v) The right bisectors of the sides of a triangle are not concurrent. **(False)**

(vi) The bisectors of the angles of a triangle are concurrent. **(True)**


(vii) Any point on the bisector of an angle is not equidistant from its arms **(False)**

(viii) Any point inside an angle, equidistant from its arms, is on the bisector of it. **(True)**


2. If  $\overline{CD}$  is right bisector of line segment  $\overline{AB}$ , then:

(i)  $m\overline{OA} = m\overline{OB}$

(ii)  $m\overline{AQ} = m\overline{BQ}$



3. The given triangle  $ABC$  is equilateral triangle and  $\overline{AD}$  is bisector of angle  $A$ , then find the values of unknowns  $x^\circ$ ,  $y^\circ$  and  $z^\circ$ .



$\therefore$   $ABC$  is an equilateral triangle.

Its each angle =  $60^\circ$

$\therefore z = 60^\circ$

$x + y = 60^\circ$

But  $y = x$

$x + x = 60^\circ$

$2x = 60^\circ$

$x = \frac{60^\circ}{2}$

$x = 30^\circ$


$\therefore y = 30^\circ$

Hence  $z = 60^\circ$

4.  $\overline{CD}$  is right bisector of the line segment  $\overline{AB}$ .

(i) if  $m\overline{AB} = 6\text{cm}$ , then find the  $m\overline{AL}$  and  $m\overline{LB}$ .

(ii) If  $m\overline{BD} = 4\text{cm}$ , then find  $m\overline{AD}$ .



**Given**  $\overline{CD}$  is a right bisector on the line segment  $\overline{AB}$ .

**To find** (i)  $m\overline{AL}$ ,  $m\overline{LB}$  when  $m\overline{AB} = 6\text{cm}$

**Proof:**

(ii)  $m\overline{AD}$  when  $m\overline{BD} = 4\text{cm}$


**Construction** Join B with D.

Statements	Reasons
(i) $m\overline{AL} = m\overline{LB}$	$\overline{CD}$ is a right bisector of $\overline{AB}$
$m\overline{AL} = \frac{1}{2} m\overline{AB}$	
$= \frac{1}{2} (6)$	$\therefore m\overline{AB} = 6\text{cm}$
$= 3\text{cm}$	
$m\overline{LB} = m\overline{AL}$	
$= 3\text{cm}$ .	
(ii) $m\overline{AD} = m\overline{BD}$	$\therefore \overline{LD}$ is a right bisector of $\overline{AB}$
$\therefore m\overline{AD} = 4\text{cm}$	$\therefore m\overline{BD} = 4\text{cm}$

## Objective

- Bisection means to divide into \_\_\_\_\_ equal parts  
 (a) Two (b) Three  
 (c) Four (d) Five
- \_\_\_\_\_ of line segment means to draw perpendicular which passes through the mid-point of line segment.  
 (a) Right bisection (b) Bisection  
 (c) Congruent (d) mid-point
- Any point on the \_\_\_\_\_ of a line segment is equidistant from its end points:  
 (a) Right bisector (b) Angle bisector  
 (c) Median (d) Altitude
- Any point equidistant from the end points of line segment is on the \_\_\_\_\_ of it:  
 (a) Right bisector (b) Angle bisector  
 (c) Median (d) Altitude
- The bisectors of the angles of a triangle are:  
 (a) Concurrent (b) Congruent  
 (c) Parallel (d) None
- Bisection of an angle means to draw a ray to divide the given angle into \_\_\_\_\_ equal parts:  
 (a) Four (b) Three  
 (c) Two (d) Five
- If  $\overline{CD}$  is right bisector of line segment  $\overline{AB}$  then: (i)  $m\overline{OA} =$

- (a)  $\overline{mOQ}$       (b)  $\overline{mOB}$   
 (c)  $\overline{mAQ}$       (d)  $\overline{mBQ}$



8. If  $\overline{CD}$  is right bisector of line segment  $\overline{AB}$ , then  $\overline{mAQ} =$  \_\_\_\_  
 (a)  $\overline{mOA}$       (b)  $\overline{mOB}$   
 (c)  $\overline{mBQ}$       (d)  $\overline{mOD}$

9. The right bisectors of the sides of an acute triangle intersect each other \_\_\_\_ the triangle.  
 (a) Inside      (b) Outside  
 (c) Midpoint      (d) None
10. The right bisectors of the sides of a right triangle intersect each other on the \_\_\_\_  
 (a) Vertex      (b) Midpoint  
 (c) Hypotenuse      (d) None
11. The right bisectors of the sides of an obtuse triangle intersect each other \_\_\_\_ the triangle.  
 (a) Outside      (b) Inside  
 (c) Midpoint      (d) None

**ANSWER KEY**

1.	a	2.	a	3.	a	4.	a	5.	a
6.	c	7.	b	8.	c	9.	a	10.	c
11.	a								